

RENTAL INDUSTRY EXPERTS

DUCTING & CABLE READY TO SHIP TO YOU

SmartEquip VENDOR

WHO WE ARE



Shipyard Supply's goal is to provide quality products at competitive rates while offering same day delivery. Our warehouses, conveniently located across the United States are stocked to the ceiling with:

Metalflex Hose Assemblies, Chemical Hose Assemblies, Composite Hose Assemblies, Tank Truck Hose Assemblies, Water Suction & Discharge Hose Assemblies, Industrial Couplings and Adapters, Sandblast & Paint Spray Hoses and Supplies, Welding Wire and Supplies, Pipe, Valves, & Fittings.

With over 1,000,000 square feet of warehouse space in the North America you can be sure we will meet all your needs! Our vast array of in stock products assures one stop shopping, which makes Shipyard Supply the convenient, time saving choice.

CUSTOMERS FIRST

- QUALITY PRODUCTS MANUFACTURED IN CERTIFIED ISO 9001-2000 FACIILITIES
- 24 HOURS A DAY/7 DAYS A WEEK SERVICE
- HOSE ASSEMBLIES IN STOCK FROM 1/4" THROUGH 30"
- IN-HOUSE HOSE TESTING AND CERTIFICATION TO NAHAD AND USCG REQUIREMENTS
- HOSE TRACKING AND CERTIFICATION PROGRAM CONFIDENTIAL DROP SHIP
- UNPARALLELED STOCK OF PREMADE HOSE INVENTORY
- CUSTOM HOSE ASSEMBLIES
- CUSTOM HOSE MATERIAL HANDLING EQUIPMENT

IMOBILE - TRAC

HOSE TESTING & TRACKING


Reduce the risk of hose failures through routine hose inspections, testing and certification programs. IMOBILE TRAC hose management services include testing, tagging and traceability of your hoses from "cradle to grave". *Be proactive with hose safety*!

- Visual hose inspection
- Regularly scheduled testing and/or replacement
- Written protocol and scheduled service appointments
- Custom onsite stocking programs for continuous service
- Hose serial number tracking (RFID available)
- Online and mobile login for easy access to hose test certificates
- Scheduled hose testing dates and reminders



HOW TO BUY


- Call your local representative or any of the experts at Shipyard Supply. Rental products are our business and we are here to help you 24/7
- Email us at <u>sales@shipyardsupplyinc.com</u> or submit a quote online from www.shipyardsupplyinc.com.
- We are a participating SmartEquip vendor and the article numbers and parts found in this catalog are available on our portal.



Shipyard can support your everchanging needs for hose, industrial fittings, and industrial supplies. Inventory delivered to you in timely manner keeps you and your customers on target and on schedule.



HVAC IS OUR BUSINESS



- TRANSFER DUCTING
- HEATER DUCTING
- INSULATED DUCTING
- RETURN DUCTING
- DUCTING ADAPTERS
- MASSIVE INVENTORY



RUBBERWORX

AIRMAX E WHITE

TUBE: PVC POLYESTER TUBE: PVC POLYESTER

REINFORCEMENT: CARBON STEEL HELIX REINFORCEMENT: CARBON STEEL HELIX

COVER: YELLOW & BLACK POLYESTER COVER: YELLOW & BLACK PVC POLYESTER

TEMPERATURE: -20°F to 180°F TEMPERATURE: -20°F to 180°F

OPTIONS: SEWN HEAVY WEAR STRIP OPTIONS: SEWN HEAVY WEAR STRIP
OPTIONS: WIRE ROPE COUPLING OPTIONS: WIRE ROPE COUPLING

AIRMAX E—ECONOMY DUCTING



ITEM NUMBER	ID	LENGTH	PITCH
DUCT10X25YBSN	10"	25'	6"
DUCT12X25YBSN	12"	25'	6"
DUCT14X25YBSN	14"	25'	6"
DUCT16X25YBSN	16"	25'	6"
DUCT18X25YBSN	18"	25'	6"
DUCT20X25YBSN	20"	25'	6"

AIRMAX INSULATED—E



ITEM NUMBER	ID	LENGTH	PITCH
DUCT10X25WHSN	10"	25'	6"
DUCT12X25WHSN	12"	25'	6"
DUCT14X25WHSN	14"	25'	6"
DUCT16X25WHSN	16"	25'	6"
DUCT18X25WHSN	18"	25'	6"
DUCT20X25WHSN	20"	25'	6"

RUBBERWORX

AIRMAX HEATER DUCTING

AIRMAX INSULATED DUCTING

TUBE: POLYURETHANE TUBE: PVC POLYESTER

REINFORCEMENT: CARBON STEEL HELIX REINFORCEMENT: CARBON STEEL HELIX

COVER: BLACK PVC POLYESTER COVER: YELLOW & BLACK PVC POLYESTER

TEMPERATURE: -60°F to 400°F TEMPERATURE: -20°F to 180°F

OPTIONS: SEWN HEAVY WEAR STRIP OPTIONS: SEWN HEAVY WEAR STRIP
OPTIONS: WIRE ROPE COUPLING OPTIONS: WIRE ROPE COUPLING

AIRMAX HEATER DUCTING



ITEM NUMBER	ID	LENGTH	PITCH
DUCT10X25BLK-HT	10"	25'	6"
DUCT12X25BLK-HT	12"	25'	6"
DUCT14X25BLK-HT	14"	25'	6"
DUCT16X25BLK-HT	16"	25'	6"
DUCT18X25BLK-HT	18"	25'	6"
DUCT20X25BLK-HT	20"	25'	6"

AIRMAX INSULATED—THREE PLY INSULATED DUCTING



ITEM NUMBER	ID	LENGTH	PITCH
DUCT10X25WH-INS	10"	25'	6"
DUCT12X25WH-INS	12"	25'	6"
DUCT14X25WH-INS	14"	25'	6"
DUCT16X25WH-INS	16"	25'	6"
DUCT18X25WH-INS	18"	25'	6"
DUCT20X25WH-INS	20"	25'	6"

RUBBERWORX

AIRMAX RETURN DUCTING 3" & 4" PITCH


TUBE: POLYURETHANE

REINFORCEMENT: CARBON STEEL HELIX

COVER: PVC POLYESTER
TEMPERATURE: -20°F to 180°F

OPTIONS: SEWN HEAVY WEAR STRIP
OPTIONS: WIRE ROPE COUPLING

AIRMAX HEATER DUCTING



ITEM NUMBER	ID	LENGTH	PITCH
DUCT20X25WO-RD	20"	25'	4"

AIRMAX INSULATED—THREE PLY INSULATED DUCTING



ITEM NUMBER	ID	LENGTH	PITCH
DUCT20X25GW-RD	20"	25'	3"

RUBBERWORX

RUBBERWORX DUCTING ADAPTERS

TUBE: PVC

REINFORCEMENT: TEXTILE BRAID

COVER: PVC WITH AN ORANGE PVC HELIX

TEMPERATURE: -13°F to 140°F

REINFORCE PVC WATER S&D WITH ALUMINUM CAM AND GROOVE MXF



ITEM NUMBER	INLET	OUTLET 1	OUTLET 2	END	COLOR
DUCT12Y-WH	12"	12"	12"	ROPE	WHITE
DUCT12Y-YB	12"	12"	12"	ROPE	YELLOW
DUCT2012WYE-YW	20"	12"	12"	NA	YELLOW
DUCT20Y-YB	20"	20"	20"	NA	YELLOW
DUCT20W	20"	20"	20"	NA	WHITE

POWER IS OUR BUSINESS



- POWER CABLE
- 5 WIRE CABLE
- WELDING CABLE
- EXTENSIONS
- CLAMPS
- STINGER




RUBBERWORX

POWERFLEX

Rubberworx Powerflex is an industrial grade, portable power cable primarily used within environments requiring permanent or temporary power supply. Durable and versatile, the cable is also commonly deployed for heavy-use applications, including rental, mining, A/C systems, and motor battery leads. DURAFLEX is UL listed, RoHS compliant, and manufactured in the USA.

- ROPE-LAY, BUNCH-STRANDED 30 AWG COPPER CONDUCTOR
- BARE ASTM CLASS K COPPER
- SEPARATORS: PAPER (CONDUCTOR) AND MESH (INSULATION)
- INSULATED WITH LSHF EPDM COMPOUND
- JACKETED WITH CPE COMPOUND
- UL, cULus, and CSA LISTED
- NEMA, MSHA, AND RoHS
- RATED FOR 600 V; 2,000 V
- -40°C to 90°C (-40°F to 194°F)



RUBBERWORX POWERFLEX ASSEMBLY WITH CAM-LOK



ITEM NUMBER	AWG	LENGTH	INSULATION	OD	AMPACITY	LBS/1K'
GEN-4/0X50TWCL	4/O	50'	.095"	.906"	405A	908

RUBBERWORX

STAGEFLEX

Rubberworx Stageflex is an industrial grade, portable power cable primarily used within entertainment power and lighting. Durable and versatile, the cable is also commonly deployed for heavy-use applications, including rental, mining, A/C systems, and motor battery leads. Stageflex is UL listed, RoHS compliant, and manufactured in the USA.

- ROPE-LAY, BUNCH-STRANDED 30 AWG COPPER CONDUCTOR
- BARE ASTM CLASS K COPPER
- SEPARATORS: PAPER (CONDUCTOR) AND MESH (INSULATION)
- INSULATED WITH LSHF EPDM COMPOUND
- JACKETED WITH CPE COMPOUND
- UL, cULus, and CSA LISTED
- NEMA, MSHA, AND RoHS
- RATED FOR 600 V
- -50°C to 105°C (-58°F to 221°F)



RUBBERWORX STAGEFLEX ASSEMBLY WITH CAM-LOK



ITEM NUMBER	AWG	LENGTH	INSULATION	OD	AMPACITY	LBS/1K'
CABLE-5WIRE-#2	#2	50'	.060"	.620"	190 A	313

RUBBERWORX

WELDFLEX INDUSTRIAL WELDING CABLE

Weldflex is the industry's leader of industrial welding cable. Highly durable and versatile, the cable is designed for use in stingers/whips, leads, and ground clamp welding assemblies as well as battery applications such as chargers and wire harnesses.

- ROPE-LAY, BUNCH-STRANDED 30 AWG COPPER CONDUCTOR
- BARE ASTM CLASS K COPPER
- WRAPPED PAPER SEPARATORS
- INSULATED WITH LSHF EPDM COMPOUND
- JACKETED LOW-SMOKE, HALOGEN-FREE EPDMUL,
- SAE J1127 Compliant (#6 to 250 MCM)
- NEC ARTICLE 630 (Electric Welders)
- SUITABLE FOR BATTERY USE PER UL 558 AND 583
- REACH, RoHS, CMRT, AND PROP 65 COMPLIANT
- -50°C to 105°C (-58°F to 221°F)



RUBBERWORX WELDFLEX ASSEMBLY WITH CAM-LOK



ITEM NUMBER	AWG	LENGTH	INSULATION	OD	LBS/1K'
WELD-2/0X50L-BL	2/O	50'	.080"	.568"	443
WELD-2/0X100L-BL	2/O	100'	.080"	.568"	443

RUBBERWORX

WELDFLEX CLAMP AND STINGER

TUBE: PVC

REINFORCEMENT: TEXTILE BRAID

COVER: PVC WITH AN ORANGE PVC HELIX

TEMPERATURE: -13°F to 140°F

RUBBERWORX WELDFLEX ASSEMBLY WITH CAM-LOK AND CLAMP



ITEM NUMBER	AWG	LENGTH	INSULATION	OD	LBS/1K'
WELD-2/0X3W-BL	2/O	3'	.080"	.568"	443

RUBBERWORX WELDFLEX ASSEMBLY WITH CAM-LOK AND STINGER



ITEM NUMBER	AWG	LENGTH	INSULATION	OD	LBS/1K'
WELD-2/0X10RH-BL	2/O	10'	.080"	.568"	443



ALABAMA - MOBILE

- ILLINOIS
- ROCKFORD
- LOUISIANA
- METAIRIE
- BELLE CHASSE
- HOUMA
- BROUSSARD

MAINE

- PORTLAND
- BANGOR

MASSACHUSETTS

- BURLINGTON
- MARYLAND
- BALTIMORE - GLEN BURNIE
- MINNESOTA
- ROSEVILLE
- COHASSET
- MISSOURI
- KANSAS CITY
- ST. LOUIS

NEBRASKA - LINCOLN

- NEVADA
- LAS VEGAS
- **NEW JERSEY**
- SWEDESBORO
- BRIDGETON

NEW YORK - PLATTSBURGH

NORTH CAROLINA -ROCKY MOUNT

NORTH DAKOTA

- WEST FARGO

- MINOT
- MANDAN
- OHIO
- CLEVELAND
- MARIETTA
- DOVER
- EASTLAKE - MANSFIELD
- AKRON

OREGON - PORTLAND

PENNSYLVANIA

- LANDISVILLE
- YORK
- MORRISVILLE
- ELLWOOD CITY
- BUTLER
- MONTOURSVILLE
- NEW CASTLE

QUEBEC

- LAVAL SOUTH DAKOTA

- ABERDEEN
- SIOUX FALLS
- RAPID CITY

TENNESSEE

- POWELL
- KINGSPORT

TEXAS

- DALLAS
- CLEBURN - AUSTIN
- PLEASANTON
- MIDLAND
- HALTOM CITY
- PASADENA

VIRGINIA - HAMPTON

- NORFOLK
- RICHMOND
- ROANOKE
- COVINGTON
- SALEM

WASHINGTON

- KENT

WISCONSIN

- LA CROSSE